
Interactive Graphics Curves Using Parametric Equations

Dr. Niels Lobo

Computer Science



UCF EXCEL



Outline

Calculus Topic: Calculus with Parametric Curves

Interactive Graphics Curves

Proof that these Curves respond to change

Joining Curves



UCF EXCEL



Calculus with Parametric Curves

These are curves where the positions are specified in terms of a common parameter t , called Arclength.

Section 11.2 #3:

Find an equation of the tangent to the curve at the point

$$x = t^4 + 1, \quad y = t^3 + t, \quad t = -1$$



UCF EXCEL



Plot some points

$$x = t^4 + 1, \quad y = t^3 + t$$

t	x	y
-2	17	-10
0	1	0
2	17	10
3	??	??



UCF EXCEL



Back to our task

Section 11.2 #3:

Find an equation of the tangent to the curve at the point

$$x = t^4 + 1, \quad y = t^3 + t, \quad t = -1$$



UCF EXCEL



Summary of finding tangent

Three steps; and can swap order of steps 1 and 2, because they do not depend on each other.



Interactive Graphics Curves

Google “bezier curves”

- <http://www.doc.ic.ac.uk/~dfg/AndysSplineTutorial/Beziers.html/>



UCF EXCEL



Interactive Graphics Curves

Uses:

- Design of Fonts and other printer symbols
- Consumer goods: shapes of cell phones, cars, etc.



UCF EXCEL



Interactive Graphics Curves

Figure
from
Page 686.



UCF EXCEL



Developer of Bezier Curves

Read page 705, Laboratory Project

Pierre Bezier (1910-1999) French mathematician

Bezier worked in automotive industry

[Bezier Photo](#)



UCF EXCEL



Interactive Graphics Curves

Curve is specified by 2 equations:

$$x = x_0(1-t)^3 + 3x_1t(1-t)^2 + 3x_2t^2(1-t) + x_3t^3$$


$$y = y_0(1-t)^3 + 3y_1t(1-t)^2 + 3y_2t^2(1-t) + y_3t^3$$

$$(x_0, y_0) \quad (x_3, y_3)$$

$$(x_1, y_1) \quad (x_2, y_2)$$



A Bezier Curve



UCF EXCEL



Interactive Graphics Curves

So, we specify the two endpoints, and the two guidepoints

Each endpoint-guidepoint pair is like a steering handle, to steer the curve.



UCF EXCEL



Interactive Graphics Curves

- <http://www.doc.ic.ac.uk/~dfg/AndysSplineTutorial/Beziers.html/>



UCF EXCEL



Interactive Graphics Curves

We will not examine how these equations came about or are derived; that topic is covered in other classes, such as, a class on curves. (LATER)



Interactive Graphics Curves

Properties of the Bezier Curve:


Slope of a handle is same as tangent at endpoint

Thus, rotating the handle forces the curve to follow the orientation of the handle.



Some example curves

Note that the handles are not part of the curve.



UCF EXCEL



Interactive Graphics Curves

Mathematically, we will verify that:

Slope of a handle is same as tangent at endpoint

i.e., the tangent at (x_0, y_0) has same slope as the segment joining (x_0, y_0) to (x_1, y_1)



To show Handle Slope = Tangent

Tangent is given by $\frac{dx}{dy}$ which in turn is

given by: $\frac{dy/dt}{dx/dt}$

Our initial Bezier equation is

$$y = y_0(1-t)^3 + 3y_1t(1-t)^2 + 3y_2t^2(1-t) + y_3t^3$$

$$x = x_0(1-t)^3 + 3x_1t(1-t)^2 + 3x_2t^2(1-t) + x_3t^3$$



UCF EXCEL



To show Handle Slope = Tangent

To find $\frac{dy/dt}{dx/dt}$, first get $\frac{dy}{dt}$

Given:

$$y = y_0(1-t)^3 + 3y_1t(1-t)^2 + 3y_2t^2(1-t) + y_3t^3$$

$$\frac{dy}{dt} =$$

$$-3y_0(1-t)^2 + 3y_1(1-t)^2 - 6y_1t(1-t) + 6y_2t(1-t) - 3y_2t^2 + 3y_3t^2$$



UCF EXCEL



To show Handle Slope = Tangent

Tangent is given by

$$\frac{dy/dt}{dx/dt} =$$

$$\frac{-3y_0(1-t)^2 + 3y_1(1-t)^2 - 6y_1t(1-t) + 6y_2t(1-t) - 3y_2t^2 + 3y_3t^2}{-3x_0(1-t)^2 + 3x_1(1-t)^2 - 6x_1t(1-t) + 6x_2t(1-t) - 3x_2t^2 + 3x_3t^2}$$



UCF EXCEL



Interactive Graphics Curves

So, to get tangent at (x_0, y_0) , we evaluate this expression

$$\frac{-3y_0(1-t)^2 + 3y_1(1-t)^2 - 6y_1t(1-t) + 6y_2t(1-t) - 3y_2t^2 + 3y_3t^2}{-3x_0(1-t)^2 + 3x_1(1-t)^2 - 6x_1t(1-t) + 6x_2t(1-t) - 3x_2t^2 + 3x_3t^2}$$

at $t = 0$



UCF EXCEL



To show Handle Slope = Tangent

So, to get tangent at (x_0, y_0) , we evaluate this expression

$$\frac{-3y_0(1-t)^2 + 3y_1(1-t)^2 - 6y_1t(1-t) + 6y_2t(1-t) - 3y_2t^2 + 3y_3t^2}{-3x_0(1-t)^2 + 3x_1(1-t)^2 - 6x_1t(1-t) + 6x_2t(1-t) - 3x_2t^2 + 3x_3t^2}$$

at
 $t = 0$

And got the answer, ...



UCF EXCEL



To show Handle Slope = Tangent

So, at $t = 0$ our slope simplifies to $\frac{y_1 - y_0}{x_1 - x_0}$,

But, this is the definition of the slope of a segment joining two points (x_0, y_0) and (x_1, y_1)

So, we have shown that slope of handle (segment) is same as slope of tangent at the endpoint (x_0, y_0)



UCF EXCEL



Joining Bezier Curves

We can join two (or more) curves end-to-end to compose complicated curves.




UCF EXCEL



Joining Bezier Curves


Can join curves smoothly by forcing handles at join location to agree in their slopes, but point in opposite directions.



UCF EXCEL



Revisit the Bezier Curve



UCF EXCEL

